

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE REGULATORY CONTACT RECORD

Date/Time: May 21, 2003/ 9:30 am

Site Contact(s): David Ward, B371/374

Phone: 303-966-5938

Regulatory Contact: James Hindman

Phone: 303-692-3345

Agency: Colorado Department of Public Health and Environment

Purpose of Contact: Obtain approval to remove a berm between Rooms 3801 and 3810 in B374.

Discussion

The building requested the berm between Rooms 3801 and 3810 be removed to improve the safety of moving of 3000-4000 pound sludge crates out of Room 3801. The sludge crates are part of the D&D of B374 Liquid Operations. Room 2804 is the main secondary containment for Room 3801 and Room 3810 still has its berm, therefore there is adequate secondary containment for the less than 20,000 gallons of sludge that is currently in Room 3801. James Hindman concurred with removing the berm between Rooms 3801 and 3810.

Contact Record Prepared By: David Ward

Required Distribution:

P. Arnold, K-H 371
C. Deck, K-H
R. DiSalvo
C. Gilbreath, K-H 771
S. Gunderson, CDPHE
T. Hopkins, K-H 776
L. Kilpatrick, RFFO

J. Legare, DOE
R. Leitner, K-H 371
J. Mead, K-H ESS
S. Nesta, K-H RISS
K. North, K-H ESS/MS
B. Prymak, DOE
T. Rehder, USEPA
D. Shelton, K-H

Additional Distribution:

E. Espinoza _____
T. Wright _____

▲
MAY 2003
RECEIVED
RECORDS CENTER